

133

SHEET NO: 03/04
DATE:

CASE NO.:
PERM NO.:
COMPLETION PLAN SHOWING RESIDENCE BUILDING ON
FF: NO: 258, O.P. NO: 238, R.SUR NO: 2772 (KHEDA, CHUHPUR-RANIP),
TALUKA: CHUHPUR, TALUKA: CHUHPUR, DISTRICT: AHMEDABAD.
SCALE: 1:00 CM = 1.00 MT

ZONE: RESIDENCE-1
RESIDENTIAL
USE OF THE CONSTRUCTION: RESIDENTIAL
SCHEDULE OF OPENING:
WINDOW
W: 2.74 X 1.50
V: 0.60 X 0.60
D: 1.06 X 2.10
W: 1.48 X 1.50
W: 1.00 X 2.10
W: 1.00 X 2.20
DW: 1.83 X 2.40










GENERAL NOTES:
• ALL OTHER WALL THICKNESS AS / N.C.C. IS CODE.
• ALL O.C.P. WITH V.P.S.A. AS PER LOCAL AUTHORITY.
• ALL BALCONY & TERRACE PARAPET WALL AREA 1.15 MT HT & 0.115 WITH R.C.C. - C WALL

R.C.C. STAIR DETAIL
COLOR NOTE
WIDTH: 2.00 MT
HEAD: 0.30 MT
RISER: 0.18 MT

PROP WORK
DRAINAGE
FIRE DETAIL

- The Basic Requirements For Fire Protection Of High - Rise Building in A.M.C and AUDA Area**
- (1) HYDRANT SYSTEM:
One Hydrant System shall be provided at each floor for all houses or flats or units or independent residential units. The hydrant system shall be of the type which is suitable for use in all circumstances. The hydrant system shall be of the type which is suitable for use in all circumstances. The hydrant system shall be of the type which is suitable for use in all circumstances.
 - (2) FIRE ALARM:
Fire alarm call point to be installed at each floor with sounders capable of being heard all throughout the building.
 - (3) FIRE EXTINGUISHERS:
One Carbon Dioxide (CO2) type extinguisher of 4.5 kg. and one extinguisher of Dry Chemical Powder (DCP) type of 2.5 kg. capacity on each floor and in the case of residential buildings. One extinguisher of alternate form in case of residential buildings.
 - (4) STAIRCASE:
If the building is divided into two or more parts then each part should have these extinguishers installed. The staircase shall be of the type which is suitable for use in all circumstances. The staircase shall be of the type which is suitable for use in all circumstances. The staircase shall be of the type which is suitable for use in all circumstances.
 - (5) BASEMENT:
The basement of 200.00 sq.meters or more should be provided with Automatic Sprinkler system with at least one sprinkler head for a car parking space. Additionally be provided by a hydrant outlet and two 25mm. bore hose reel hoses with 8 mm. bore nozzles at each basement level.
 - (6) LIGHTNING PROTECTION:
All lightning arrestors should be installed on the building. The lightning arrestors should be installed on the building. The lightning arrestors should be installed on the building.

LEGEND	DESCRIPTION
	FIRE HYDRANT SYSTEM PIPR MAIN
	SINGLE HANDED HYDRANT VALVE
	SLUICE VALVE
	TWO WAY SAME CONNECTION
	RISE OR DROP
	NON RETURN VALVE
	FIRE HOSE BOX
	HOSE REEL HOUSE
	DOP & CO-2



COMPLETION PLAN SHOWING RESIDENCE BUILDING ON
FF: NO: 258, O.P. NO: 238, R.SUR NO: 2772 (KHEDA, CHUHPUR-RANIP),
TALUKA: CHUHPUR, TALUKA: CHUHPUR, DISTRICT: AHMEDABAD.

SCALE: 1:00 CM = 1.00 MT

GENERAL NOTES:
• ALL OTHER WALL THICKNESS AS / N.C.C. IS CODE.
• ALL O.C.P. WITH V.P.S.A. AS PER LOCAL AUTHORITY.
• ALL BALCONY & TERRACE PARAPET WALL AREA 1.15 MT HT & 0.115 WITH R.C.C. - C WALL

R.C.C. STAIR DETAIL
COLOR NOTE
WIDTH: 2.00 MT
HEAD: 0.30 MT
RISER: 0.18 MT

PROP WORK
DRAINAGE
FIRE DETAIL

ST-ENGINEER:
PATIL PRAHLADBHAI H.
18, SARAFANI STREET,
AHMEDABAD-380 059.
LIC NO. GU/DA/09/21/7012
RCC/2023/00000000015
ADA/98-4/184

DEVELOPER:
SARJAN DEVELOPERS
19-B, Mandirgram Soc.,
Part-I, Nariman Road,
Ahmedabad-380013.
LIC NO: DEV 665280221

ENGINEER:
NRUPESH V. SHAH
A-315, Siddhivinayak Towers,
Rt. Kataria House, Malakarba,
S.G. Highway, Ahmedabad-380 053.
AHM REGD. ENR08292972181

OWNER:
For, Sarjan Developers
Partner
NRUPESH V. SHAH

C.O.W.
SARJAN DEVELOPERS

AUTHORITY:

COMPLETION PLAN SHOWING RESIDENCE BUILDING ON
FF: NO: 258, O.P. NO: 238, R.SUR NO: 2772 (KHEDA, CHUHPUR-RANIP),
TALUKA: CHUHPUR, TALUKA: CHUHPUR, DISTRICT: AHMEDABAD.

SCALE: 1:00 CM = 1.00 MT

GENERAL NOTES:
• ALL OTHER WALL THICKNESS AS / N.C.C. IS CODE.
• ALL O.C.P. WITH V.P.S.A. AS PER LOCAL AUTHORITY.
• ALL BALCONY & TERRACE PARAPET WALL AREA 1.15 MT HT & 0.115 WITH R.C.C. - C WALL

R.C.C. STAIR DETAIL
COLOR NOTE
WIDTH: 2.00 MT
HEAD: 0.30 MT
RISER: 0.18 MT

PROP WORK
DRAINAGE
FIRE DETAIL

ST-ENGINEER:
PATIL PRAHLADBHAI H.
18, SARAFANI STREET,
AHMEDABAD-380 059.
LIC NO. GU/DA/09/21/7012
RCC/2023/00000000015
ADA/98-4/184

DEVELOPER:
SARJAN DEVELOPERS
19-B, Mandirgram Soc.,
Part-I, Nariman Road,
Ahmedabad-380013.
LIC NO: DEV 665280221

ENGINEER:
NRUPESH V. SHAH
A-315, Siddhivinayak Towers,
Rt. Kataria House, Malakarba,
S.G. Highway, Ahmedabad-380 053.
AHM REGD. ENR08292972181

OWNER:
For, Sarjan Developers
Partner
NRUPESH V. SHAH

C.O.W.
SARJAN DEVELOPERS

FRONT SIDE ELEVATION.

